FORM PTO-1449/A and B (Modified)

INFORMATION DISCUSSURE
STATEMENT BY APPLICANT

Sheet I of 4 5 GROUP ART UNIT: 1644

APPLICATION NO.: 10/766,755

ATTY. DOCKET NO.: A0752.70001US01

FILING DATE: January 28, 2004

CONFIRMATION NO.: 2264

APPLICANT: Stahl et al.

GROUP ART UNIT: 1644

EXAMINER: Not Yet Assigned VanderVegt

U.S. PATENT DOCUMENTS

	T	T		THE DOCUMENTS		
Examiner's Initials	Cite	U.S. Patent Document		Name of Patentee or Applicant of Cited	Date of Publication or of issue	
	No.	Number	Kind Code	Document	of Cited Document MM-DD-YYYY	
/PV/	A1*	5,270,199		Ezekowitz et al.	12-14-1993	
/PV/	A2*	5,616,311		Yen	04-01-1997	
•	<u></u>					

FOREIGN PATENT DOCUMENTS

Examiner's	Cite	Foreign Patent Document		ıment	Name of Patentee or Applicant of Cited	Date of Publication of	Translation
Initials No.		Office/ Number Kind Code			Document (not necessary)	Cited Document MM-DD-YYYY	(Y/N)
/PV/	Bl*	wo	89/01519	Al	Children's Hospital Corporation	02-23-1989	
	B2*	wo	91/06010	Al	Institute of Child Health	05-02-1991	
	B3*	wo	99/39209	Al	Biogenese GmbH	08-05-1999	Abstract Only
	B4*	WO	00/35483	Al	The Brigham and Women's Hospital, Inc.	06-22-2000	
	B5*	WO	01/12212	Al	The Brigham and Women's Hospital, Inc.	02-22-2001	
	B6*	JP	06121695		Fuji Yakuhin Kogyo KK	05-06-1994	Abstract Only
	B7*	JP	07238100		Sumitomo Electric Ind Ltd.	09-12-1995	Abstract Only
	B8	wo	90/08549	A1	Speck, Ulrich	08-09-1990	Abstract only
$\Delta \mathcal{L}$	B9	WO	93/18775	Al	The University of British Columbia	09-30-1993	
V	B10	wo	97/31121	Al	The University of British Columbia	08-28-1997	

OTHER ART — NON PATENT LITERATURE DOCUMENTS

Examiner's	The state of the state of the state of the attention of the state of t		Translation
Initials			(Y/N)
/PV/		ABAZA et al., Effects of amino acid substitutions outside an antigenic site on protein binding to monoclonal antibodies of predetermined specificity obtained by peptide immunization: demonstration with region 94-100 (antigenic site 3) of myoglobin. J Protein Chem. 1992 Oct;11(5):433-44.	
	C2*	AGAH et al., Isolation, characterization, and cloning of porcine complement component C7. J Immunol. 2000 Jul 15;165(2):1059-65.	
	C3*	AMSTERDAM et al., Limitation of reperfusion injury by a monoclonal antibody to C5a during myocardial infarction in pigs. Am J Physiol. 1995 Jan;268(1 Pt 2):H448-57.	
	C4*	CHAKA et al., Induction of TNF-alpha in human peripheral blood mononuclear cells by the mannoprotein of Cryptococcus neoformans involves human mannose binding protein. J Immunol. 1997 Sep 15;159(6):2979-85.	
	C5*	COLLARD et al., Experimental Biology 98. San Francisco, California, USA. April 18-22, 1998. Part 1, Abstracts. FASEB J. 1998 Mar 17;12(4 Pt 1):A1-622. Abstract 29A.	
V	C6*	COLLARD et al., Hypoxia-induced expression of complement receptor type 1 (CR1, CD35) in human vascular endothelial cells. Am J Physiol. 1999 Feb;276(2 Pt 1):C450-8.	

FORM PTO-1449/A and B (Modified)	APPLICATION NO.:	10/766,755	ATTY. DOCKET NO.: A0752.70001US01
INFORMATION DISCLOSURE	FILING DATE:	ING DATE: January 28, 2004 CONFIRMATION NO.: 2264	
STATEMENT BY APPLICANT	APPLICANT:	Stahl et al.	
Sheet 2 of 4	GROUP ART UNIT:	1644	EXAMINER: Not Yet Assigned VanderVegt

/PV/	C7*	COLLARD et al., EC 99. 7th European Meeting on Complement in Human Disease. Helsinki, Finland, June 17-	
	C8*	20, 1999. Proceedings and abstracts. Mol Immunol. 1999 Mar-Apr;36(4-5). Abstract Pg 278.	
i I	Co.	COLLARD et al., Complement activation following oxidative stress. Mol Immunol. 1999 Sep-Oct;36(13-14):941-8. Review.	:
	C9*	COLLARD et al., Complement activation after oxidative stress: role of the lectin complement pathway. Am J	
		Pathol. 2000 May; 156(5):1549-56.	
	C10*	COLLARD et al., Print Meeting Info: 18th International Complement Workshop. Salt Lake City, Utah, USA,	
		July 23-27, 2000. Proceedings and abstracts. Immunopharmacology. 2000 Aug;49(1-2):85.	
	C11*	ENDO et al., Two lineages of mannose-binding lectin-associated serine protease (MASP) in vertebrates. J	
		Immunol. 1998 Nov 1;161(9):4924-30. Erratum in: J Immunol 2000 May 15;164(10):5330.	
1	C12*	ENDO et al., Exon structure of the gene encoding the human mannose-binding protein-associated serine	
		protease light chain: comparison with complement C1r and C1s genes. Int Immunol. 1996 Sep;8(9):1355-8.	
l .	C13*	ENDO et al., Glomerular deposition of mannose-binding lectin (MBL) indicates a novel mechanism of	
	C14*	complement activation in IgA nephropathy. Nephrol Dial Transplant. 1998 Aug;13(8):1984-90.	
	C14*	FITCH et al., Pharmacology and biological efficacy of a recombinant, humanized, single-chain antibody C5 complement inhibitor in patients undergoing coronary artery bypass graft surgery with cardiopulmonary bypass.	
		Circulation. 1999 Dec 21-28;100(25):2499-506.	
	C15*	JACK et al., Activation of complement by mannose-binding lectin on isogenic mutants of Neisseria meningitidis	
		serogroup B. J Immunol. 1998 Feb 1;160(3):1346-53.	
	C16*	JANEWAY et al., Immunobiology, 3rd Edition, Garland Press, 1997, Page 13.8.	
	C17*	JANEWAY et al., Immunobiology, 1999, 4th Edition, Garland Press, Page 87.	
	C18*	KONAMI et al., Correlation between carbohydrate-binding specificity and amino acid sequence of	
		carbohydrate-binding regions of Cytisus-type anti-H(O) lectins. FEBS Lett. 1992 Jun 15;304(2-3):129-35.	
	C19*	LEKOWSKI et al., Meeting Info: 72nd Scientific Sessions of the American Heart Association. Atlanta,	
		Georgia, November 7-10, 1999. Circulation. 1999 Nov 2;100(18): 1259.	
	C20*	LENNON et al., Complement-induced endothelial dysfunction in rabbits: mechanisms, recovery, and gender	
	0214	differences. Am J Physiol. 1996 Jun;270(6 Pt 2):H1924-32.	
	C21*	LHOTTA et al., Glomerular deposition of mannose-binding lectin in human glomerulonephritis.	İ
 	C22*	Nephrol Dial Transplant. 1999 Apr;14(4):881-6. LINDER et al., Activation of complement by cytoskeletal intermediate filaments. Nature. 1979 Mar	
	022	8;278(5700):176-8.	1
	C23*	LINDER et al., Antibody-independent binding of Clq and activation of serum complement by human skin in	
		vitro. J Invest Dermatol. 1982 Feb;78(2):116-20.	
	C24*	LINDER et al., Activation of complement by intermediate filaments of glomerular epithelial cells. Clin Immunol	
		Immunopathol. 1986 Aug;40(2):265-75.	
	C25*	LINDER, Binding of C1q and complement activation by vascular endothelium. J Immunol. 1981	
 	C26#	Feb; 126(2):648-58. MATSUSUITA et al. Human manners hinding protein is identical to a company of Paragraphy factor.	
1	C26*	MATSUSHITA et al. Human mannose-binding protein is identical to a component of Ra-reactive factor. Biochem Biophys Res Commun. 1992 Mar 16;183(2):645-51.	
	C27*	PIERCE CATALOG, 1995, Page T-19 and T-20, Pierce Corporation.	
	C28*	SATO et al., Molecular characterization of a novel serine protease involved in activation of the complement	
	720	system by mannose-binding protein. Int Immunol. 1994 Apr;6(4):665-9.	
	C29*	SHIKHMAN et al., Cytokeratin peptide SFGSGFGGGY mimics N-acetyl-beta-D-glucosamine in reaction with	
		antibodies and lectins, and induces in vivo anti-carbohydrate antibody response. J Immunol. 1994 Dec	
		15;153(12):5593-606.	
	C30*	SUMMERFIELD et al., Mannose-binding proteins in human serum: identification of mannose-specific	
		immunoglobulins and a calcium-dependent lectin, of broader carbohydrate specificity, secreted by hepatocytes.	
	C31*	Biochim Biophys Acta. 1986 Sep 4;883(2):197-206. SUPER et al., The level of mannan-binding protein regulates the binding of complement-derived opsonins to	
l l	53,	mannan and zymosan at low serum concentrations. Clin Exp Immunol. 1990 Feb;79(2):144-50.	
	C32*	TENNER et al., Mannose binding protein (MBP) enhances mononuclear phagocyte function via a receptor that	
V		contains the 126,000 M(r) component of the C1q receptor. Immunity. 1995 Oct;3(4):485-93.	

FORM PTO	D-1449/A and B (M	lodifie	i)	APPLICATION NO.:	10/766,755	ATTY. DOCKET NO.: A0752.70001US01
1	RMATION D			FILING DATE:	DATE: January 28, 2004 CONFIRMATION NO.: 22	
STAT	TEMENT BY	APP	LICANT	APPLICANT:	Stahl et al.	
Sheet	3	of	4	GROUP ART UNIT:	1644	EXAMINER: Not Yet Assigned Vander Vegt

	C33*	TEDAL at al. Human comum manage hinding leatin (MDL) associated assignment and (MACD 1).	
/PV/	C33*	TERAI et al., Human serum mannose-binding lectin (MBL)-associated serine protease-1 (MASP-1):	
,, ,,		determination of levels in body fluids and identification of two forms in serum. Clin Exp Immunol. 1997	
-	C34*	Nov;110(2):317-23.	
1	C34.	TERAI et al., alpha 2-Macroglobulin binds to and inhibits mannose-binding protein-associated serine protease.	- 1
	C35*	Int Immunol. 1995 Oct;7(10):1579-84.	
i	C33*	THIEL et al., A second serine protease associated with mannan-binding lectin that activates complement.	
	C2(*	Nature. 1997 Apr 3;386(6624):506-10.	
	C36*	TURNER et al., The lectin pathway of complement activation. Res Immunol. 1996 Feb;147(2):110-5. Review.	
1	C37*	TURNER, Mannose-binding lectin: the pluripotent molecule of the innate immune system. Immunol Today.	
		1996 Nov;17(11):532-40. Review.	
1	C38*	VAKEVA et al., Myocardial infarction and apoptosis after myocardial ischemia and reperfusion: role of the	
		terminal complement components and inhibition by anti-C5 therapy. Circulation. 1998 Jun 9;97(22):2259-67.	
	C39*	VORUP-JENSON et al., MASP-2, the C3 convertase generating protease of the MBLectin complement	
	ļ <u>.</u>	activating pathway. Immunobiology. 1998 Aug; 199(2):348-57. Review.	
	C40	AGAH et al., Isolation, cloning and functional characterization of porcine mannose-binding lectin.	
		Immunology. 2001 Mar;102(3):338-43.	
'	C41	BHOLE et al., Therapeutic potential of targeting the complement cascade in critical care medicine. Crit Care	
		Med. 2003 Jan;31(1 Suppl):S97-104. Review.	
	C42	BLUME et al., Activated endothelial cells elicit paracrine induction of epithelial chloride secretion. 6-Keto-	
	1	PGF1alpha is an epithelial secretagogue.	
		J Clin Invest. 1998 Sep 15;102(6):1161-72.	
	C43	COLLARD et al., Complement activation following reoxygenation of hypoxic human endothelial cells: role of	
1		intracellular reactive oxygen species, NF-kappaB and new protein synthesis.	1
	1	Immunopharmacology. 1998 Mar;39(1):39-50.	
	C44	COLLARD et al., Complement activation following oxidative stress.	
		Mol Immunol. 1999 Sep-Oct;36(13-14):941-8. Review.	
ı	C45	COLLARD et al., Endothelial oxidative stress activates the lectin complement pathway: role of cytokeratin 1.	
	<u> </u>	Am J Pathol. 2001 Sep;159(3):1045-54.	
	C46	COLLARD et al., Complement activation after oxidative stress: role of the lectin complement pathway.	
		Am J Pathol. 2000 May;156(5):1549-56.	
l l	C47	COLLARD et al., Reoxygenation of hypoxic human umbilical vein endothelial cells activates the classic	
	1	complement pathway. Circulation. 1997 Jul 1;96(1):326-33.	
	C48	DAHL et al., MASP-3 and its association with distinct complexes of the mannan-binding lectin complement	[
		activation pathway. Immunity. 2001 Jul;15(1):127-35.	
	C49	FIANE et al., Mechanism of complement activation and its role in the inflammatory response after	
		thoracoabdominal aortic aneurysm repair. Circulation. 2003 Aug 19;108(7):849-56. Epub 2003 Aug 04.	
	C50	HART et al., Initiation of complement activation following oxidative stress. In vitro and in vivo observations.	
		Mol Immunol. 2004 Jun;41(2-3):165-71. Review.	
	C51	HOLT et al., Domain antibodies: proteins for therapy. Trends Biotechnol. 2003 Nov;21(11):484-90. Review.	
	C52	IGARASHI et al., Specific binding of a synthetic peptide derived from an antibody complementarity	
		determining region to phosphatidylserine. J Biochem (Tokyo). 1995 Feb;117(2):452-7.	
	C53	JORDAN et al., Inhibition of mannose-binding lectin reduces postischemic myocardial reperfusion injury.	
		Circulation. 2001 Sep 18;104(12):1413-8.	
	C54	KINGMAN, Complement activation in myocardial infarction: A target for future treatments? Drug Discovery	
		Today. 2000; 8: 313-4.	
	C55	LANZREIN et al., Mannan-binding lectin in human serum, cerebrospinal fluid and brain tissue and its role in	
		Alzheimer's disease. Neuroreport. 1998 May 11;9(7):1491-5.	
	C56	LAUNE et al., Systematic exploration of the antigen binding activity of synthetic peptides isolated from the	
		variable regions of immunoglobulins. J Biol Chem. 1997 Dec 5;272(49):30937-44.	
	C57	LEKOWSKI et al., Ulex europaeus agglutinin II (UEA-II) is a novel, potent inhibitor of complement activation.	
		Protein Sci. 2001 Feb;10(2):277-84.	
	C58	MONNET et al., Synthetic peptides derived from the variable regions of an anti-CD4 monoclonal antibody bind	
		to CD4 and inhibit HIV-1 promoter activation in virus-infected cells. J Biol Chem. 1999 Feb 5;274(6):3789-96.	
V	C59	MONTALTO et al., A keratin peptide inhibits mannose-binding lectin. J Immunol. 2001 Mar 15;166(6):4148-	
▼	1	53.	<u> </u>

FORM PTO-1449/A and B (Modified)				APPLICATION NO.:	10/766,755	ATTY. DOCKET NO.: A0752.70001US01
INFO	RMATION D	ISC	LOSURE	FILING DATE:	FILING DATE: January 28, 2004 CONFIRMATION	
STATEMENT BY APPLICANT				APPLICANT:	VT: Stahl et al.	
				GROUP ART UNIT:	1644	EXAMINER: Not Yet Assigned
Sheet 4 of 4		GROOT ART OWN.		EXAMINER: No. Yet Assigned VanderVegt		

	C60	MONTALTO et al., Role for complement in mediating intestinal nitric oxide synthase-2 and superoxide	
		dismutase expression. Am J Physiol Gastrointest Liver Physiol. 2003 Jul;285(1):G197-206. Epub 2003 Mar 13.	
	C61	RIEBEN et al., Immunoglobulin M-enriched human intravenous immunoglobulin prevents complement	ļ
		activation in vitro and in vivo in a rat model of acute inflammation. Blood. 1999 Feb 1;93(3):942-51.	
	C62	ROOS et al., Human IgA activates the complement system via the mannan-binding lectin pathway. J Immunol.	
		2001 Sep 1;167(5):2861-8.	
	C63	ROOS et al., Therapeutic inhibition of the early phase of complement activation.	
		Immunobiology. 2002 Sep;205(4-5):595-609. Review.	
	C64	ROOS et al., Functional characterization of the lectin pathway of complement in human serum. Mol Immunol.	
		2003 Jan;39(11):655-68.	
	C65	RUSSELL et al., Anti-inflammatory activity of human IgA antibodies and their Fab alpha fragments: inhibition	
		of IgG-mediated complement activation. Eur J Immunol. 1989 Dec; 19(12):2243-9.	
	C66	STAHL, The Immune System - Complementary Medicine. The Economist. 2000 May 13; 26-7.	
	C67	STAHL, New Inflammatory Pathway Discovered. Genetic Engineering News. 2000 May 15; 20(3):27-8.	
	C68	STAHL et al., Reperfusion injury in surgery. Role of the endothelium, oxidative stress and complement	
		activation (Invited review). New Surgery. 2001; 1:62-6.	
	C69	STAHL et al., Role for the alternative complement pathway in ischemia/reperfusion injury.	
1 1 1		Am J Pathol. 2003 Feb;162(2):449-55.	
	C70	SZEBENI et al., Liposome-induced pulmonary hypertension: properties and mechanism of a complement-	
		mediated pseudoallergic reaction. Am J Physiol Heart Circ Physiol. 2000 Sep;279(3):H1319-28.	
	C71	SZEBENI et al., Hemodynamic changes induced by liposomes and liposome-encapsulated hemoglobin in pigs: a	ŀ
1		model for pseudoallergic cardiopulmonary reactions to liposomes. Role of complement and inhibition by soluble	
		CR1 and anti-C5a antibody. Circulation. 1999 May 4;99(17):2302-9.	
	C72	TAUB et al., A monoclonal antibody against the platelet fibrinogen receptor contains a sequence that mimics a	1
		receptor recognition domain in fibrinogen. J Biol Chem. 1989 Jan 5;264(1):259-65.	
	C73	TOFUKUJI et al., Anti-C5a monoclonal antibody reduces cardiopulmonary bypass and cardioplegia-induced	
		coronary endothelial dysfunction. J Thorac Cardiovasc Surg. 1998 Dec; 116(6):1060-8.	
	C74	WALLIS et al., Localization of the serine protease-binding sites in the collagen-like domain of mannose-binding	1
1 1 1		protein: indirect effects of naturally occurring mutations on protease binding and activation. J Biol Chem. 2004	Ì
		Apr 2;279(14):14065-73. Epub 2004 Jan 14.	
	C75	WALSH et al., Role of complement in myocardial ischemia and infarction. In: Szebeni J, editor. The	
		Complement System. Novel Roles in Health and Disease. Kluwer Academic Publishers. Massachusetts, June	Ì
		2004.	
	C76	WALSH et al., Myocardial Ischemia-reperfusion injury is dependent on lectin complement activation.	i
		American College of Cardiology. 2004 Mar 10; 11:15am-11:30am (Presentation Abstract).	
	C77	ZHAO et al., Anoxia and reoxygenation of human endothelial cells decrease ceramide glucosyltransferase	1
		expression and activates caspases. FASEB J. 2003 Apr;17(6):723-4. Epub 2003 Feb 05.	
	C78	ZHAO et al., Identification of human mannose binding lectin (MBL) recognition sites for novel inhibitory	l
		antibodies. Hybridoma and Hybridomics. 2002 Feb;21(1):25-36.	
I W I	C79	ZHAO et al., Murine model of gastrointestinal ischemia associated with complement-dependent injury. J Appl	
V		Physiol. 2002 Jul;93(1):338-45.	

EXAMINER /F.	Pierre VanderVegt/	DATE CONSIDERED	06/13/2007

#EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[NOTE - Must provide a copy of any patent, publication, other information listed, even if it was previously submitted to, or cited by, the U.S. Patent Office in an earlier application, unless the earlier application is identified by the IDS and is relied upon for an earlier filing date under 35 U.S.C. §120, and the copy was provided in the earlier application.]

^{*}a copy of this reference is not provided as it was previously cited by or submitted to the office in a prior application, Serial No. 09/464.303, filed December 15, 1999, and relied upon for an earlier filing date under 35 U.S.C. 120 (continuation, continuation-in-part, and divisional applications).

• a copy of this patent or patent application is not enclosed pursuant to the waiver by the USPTO of the requirement under 37 C.F.R. 1.98 (a)(2(i) for patent applications filed

after June 30, 2003.